



Metal Tag





- **Multi-Metal #3 (C1003208-H3)**
- **Freq : 860~960MHz Passive**
- **인식거리 : Mobile 4.0m
Fixed 10.0m**
- **사이즈 : 100 x 32 x 8mm**
- **보관온도 : -40 ~ 150℃**
- **장거리 메탈 태그, 반도체 설비 이력관리**



- **Multi-Mini (P03511-30AH3)**
- **Freq : 860~960MHz Passive**
- **인식거리 : Mobile 1.0m
Fixed 3.0m**
- **사이즈 : 35 x 11 x 3.0mm**
- **보관온도 : -40 ~ 150℃**
- **시설물 공정 관리 및 소형 자산 관리**



- **Multi-Metal High Temp #2 (C04025-80XM)**
- **Freq : 860~960MHz Passive**
- **인식거리 : Mobile 1.5m
Fixed 4.0m**
- **사이즈 : 40 x 25 x 8mm**
- **보관온도 : -40 ~ 230℃**
- **건설 철강 자재관리, 고온 금형 관리**



- **Multi-Micro (P2410-02H3)**
- **Freq : 860~960MHz Passive**
- **인식거리 : Mobile 0.7m
Fixed 1.5m**
- **사이즈 : 24 x 10 x 2mm**
- **보관온도 : -40 ~ 150℃**
- **공구 관리 등 소형 부품 관리 및 총기관리**



- **후판 태그 (P12735-30H3)**
- **Freq : 860~960MHz Passive**
- **인식거리 : Mobile 0.8m
Fixed 2.0m**
- **사이즈 : 127 x 35 x 3.0mm**
- **보관온도 : -40 ~ 150℃**
- **선재 제품 또는 후판에 부착**



- **Multi-Savel (P09118-02H3)**
- **Freq : 860~960MHz Passive**
- **인식거리 : Mobile 1.5m
Fixed 3.0m**
- **사이즈 : 91.5 x 18 x 2.0mm**
- **보관온도 : -40 ~ 150℃**
- **설비 및 시설물 관리**





- 소형 메탈 Tag (P02510-02H3)
- Freq : 860~960MHz Passive
- 인식거리 : Mobile 0.3m
Fixed 0.8m
- 사이즈 : 25 x 10 x 2.0mm
- 보관온도 : -40 ~ 150℃
- 소형 메탈 환경



- Multi-Metal #4 (C1104008-H3-Magnetic)
- Freq : 860~960MHz Passive
- 인식거리 : Mobile 4.0m
Fixed 10.0m
- 사이즈 : 100 x 32 x 8mm
- 보관온도 : -40 ~ 150℃
- 장거리 메탈 태그, 자석 부착형



- Multi-Metal #4 (C1104008-H3-Cable)
- Freq : 860~960MHz Passive
- 인식거리 : Mobile 4.0m
Fixed 10.0m
- 사이즈 : 100 x 32 x 8mm
- 보관온도 : -40 ~ 150℃
- 장거리 메탈 태그, 케이블 연결형 스펴 및 대형 원통 철재 부착 가능



- Tree-Tag 1 (C0283106-H3)
- Freq : 860~960MHz Passive
- 인식거리 : Mobile 1.0m
Fixed 2.0m
- 사이즈 : Ø28.3x 31.3mm
- 보관온도 : -40 ~ 150℃
- 수목관리 전용 태그



- GOLF Shaft Tag
- Freq : 860~960MHz Passive
- 인식거리 : Mobile 0.5m
Fixed 1.0m
- 보관온도 : -40 ~ 150℃
- 골프채 입출 관리 및 보안관리



- CD Tag (L040160-M4)
- Freq : 860~960MHz Passive
- 인식거리 : Mobile 1.0m
Fixed 3.0m
- 사이즈 : Ø40 x 18mm
- 보관온도 : -40 ~ 85℃
- CD용 태그



3

Public Information



Rev A

감사합니다.

